NOVEMBER 2012

ASHRAE JOURNAL

THE MAGAZINE OF HVAC&R TECHNOLOGY AND APPLICATIONS ASHRAE.ORG

What's Next for BACnet and the Smart Grid

Demand-Controlled Ventilation for Commercial Kitchens | Cooling as a Service | Methods for Effective Room Air Distribution | TES for Medical Center

CONTENTS

Vol. 54, No. 11 | November 2012

Features

18 Methods for Effective Room Air Distribution: Part 1
By Dan Int-Hout

36 Demand-Controlled Ventilation for Commercial Kitchens
By Derek Schrock; Jimmy Sandusky; Andrey Livchak, Ph.D.

2012 ASHRAE TECHNOLOGY AWARDS

28 TES for Medical Center
By Blake E. Ellis, P.E.



INSIDE

BACnet® Today & The Smart Grid

The 2012 edition includes articles discussing BACnet being used in Orlando to save energy across a portfolio of small government buildings, what's new in openADR, the benefits of demand response and light control, and the synergies between HVAC, electric utilities and the Smart Grid.

Departments

4 Commentary
6 Industry News
12 Letters
14 Meetings and Shows
56 InfoCenter
76 Special Products
78 Products
79 Classified Advertising
80 Advertisers Index

Standing Columns

50 Building Sciences
I Was Younger Then (I'm So Much Older Now)
By Joseph W. Lstiburek, Ph.D., P.Eng.

64 Data Centers
Cooling as a Service
By Donald L. Beaty, P.E.

68 Emerging Technologies
Cloud-Based BEMS
By Ratcharit Ponoum, Alissa Cooperman; James Brodrick, Ph.D.

72 Refrigeration Applications
Lubricating Oil
By Andy Pearson, Ph.D., C.Eng.

74 Engineer's Notebook
BIM Object Creation
By M. Dennis Knight, P.E.

77 Washington Report
Licensing Discussed
By Mark Ames; Mark Wills

Cover art © ART ZONE/amanaimages/Corbis

ASHRAE® Journal (ISSN 0001-2491) **MISSION STATEMENT** | ASHRAE Journal reviews current HVAC&R technology of broad interest through publication of application-oriented articles. ASHRAE Journal's editorial content ranges from back-to-basics features to reviews of emerging technologies, covering the entire spectrum of professional interest from design and construction practices to commissioning and the service life of HVAC&R environmental systems. **PUBLISHED MONTHLY** | Copyright 2012 by ASHRAE, 1791 Tullie Circle N.E., Atlanta, GA 30329. Periodicals postage paid at Atlanta, Georgia, and additional mailing offices. **LETTERS/MANUSCRIPTS** | Letters to the editor and manuscripts for publication should be sent to: Fred Turner, Editor, ASHRAE Journal, fturner@ashrae.org. **SUBSCRIPTIONS** | $8 per single copy (includes postage and handling on mail orders). Subscriptions for members $6 per year, included with annual dues, not deductible. Nonmember $79 (includes postage in USA); $79 (includes postage for Canadian); $149 international (includes air mail). Expiration dates vary for both member and nonmember subscriptions. Payment (U.S. funds) required with all orders. **CHANGE OF ADDRESS** | Requests must be received at subscription office eight weeks before effective date. Send both old and new addresses for the change. ASHRAE members may submit address changes at www.ashrae.org/address. **POSTMASTER** | Send form 3579 to: ASHRAE Journal, 1791 Tullie Circle N.E., Atlanta, GA 30329. Canadian Agreement Number 40037127.

ONLINE at ASHRAE.org | Feature articles are available online. Members can access articles at no cost. Nonmembers may purchase articles at www.ashrae.org/bookstore. | **MICROFILM** | This publication is microfilmed by National Archive Publishing Company. For information on cost and issues available, contact NAPC at 800-420-NAPC or www.napubco.com. **PUBLICATION DISCLAIMER** | ASHRAE has compiled this publication with care, but ASHRAE has not investigated and ASHRAE expressly disclaims any duty to investigate any product, service, process, procedure, design or the like which may be described herein. The appearance of any technical data, editorial material or advertisement in this publication does not constitute endorsement, warranty or guarantee by ASHRAE of any product, service, process, procedure, design or the like. ASHRAE does not warrant that the information in this publication is free of errors and ASHRAE does not necessarily agree with any statement or opinion in this publication. The entire risk of the use of any information in this publication and its supplement is assumed by the user.